

State of Idaho Drinking Water Certificate


Inorganic Analysis

Effective Dates: 2/1/2024-1/31/2025

Edge Analytical, Inc.
1620 S. Walnut Street
Burlington, WA 98233
EPA ID: WA00097

<u>List of Analytes</u>	<u>Status</u> ¹	<u>Methods</u>
<u>Disinfection Byproducts</u>		
Bromate	C	EPA 300.1
Chlorite	C	EPA 300.1
<u>Copper & Lead</u>		
Copper	C	EPA 200.7, EPA 200.8
Lead	C	EPA 200.8
<u>Nitrate & Nitrite</u>		
Nitrate	C	EPA 300.0, SM 4500-NO ₃ ⁻ F
Nitrite	C	EPA 300.0, SM 4500-NO ₂ ⁻ F
<u>Inorganics</u>		
Cyanide, Free	C	OIA-1677
Fluoride	C	EPA 300.0
<u>Metals</u>		
Antimony	C	EPA 200.8
Arsenic	C	EPA 200.8
Barium	C	EPA 200.7, EPA 200.8
Beryllium	C	EPA 200.8
Cadmium	C	EPA 200.8
Chromium	C	EPA 200.8
Mercury	C	EPA 200.8, EPA 245.1
Nickel	C	EPA 200.8
Selenium	C	EPA 200.8
Sodium	C	EPA 200.7
Thallium	C	EPA 200.8
<u>Radiochemical Contaminants</u>		
Total Uranium	C	EPA 200.8
<u>Miscellaneous</u>		
Turbidity	C	EPA 180.1

1) C = Certified, N = Not Certified, P = Provisionally Certified, I = Interim Certified, * = Certification Not Requested


Christopher Ball, Ph.D., HCLD (ABB)
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF
HEALTH & WELFARE

State of Idaho Drinking Water Certificate


Organic Analysis

Effective Dates: 2/1/2024-1/31/2025

Edge Analytical, Inc.
1620 S. Walnut Street
Burlington, WA 98233
EPA ID: WA 00097

<u>List of Analytes</u>	<u>Status</u> ¹	<u>Methods</u>
<u>Volatiles</u>		
Dibromochloropropane (DBCP)	C	EPA 504.1
Ethylene Dibromide (EDB)	C	EPA 504.1
Total Trihalomethanes (TTHM's)	C	EPA 524.2
VOC's (Except Vinyl Chloride)	C	EPA 524.2
Vinyl Chloride	C	EPA 524.2
<u>Pesticides</u>		
Alachlor	C	EPA 525.2
Atrazine	C	EPA 525.2
Chlordane	C	EPA 508.1
Endrin	C	EPA 508.1, EPA 525.2
Heptachlor	C	EPA 508.1, EPA 525.2
Heptachlor Epoxide	C	EPA 508.1, EPA 525.2
Hexachlorobenzene	C	EPA 525.2
Hexachlorocyclopentadiene	C	EPA 525.2
Lindane (Gamma-BHC)	C	EPA 508.1, EPA 525.2
Methoxychlor	C	EPA 508.1, EPA 525.2
Simazine	C	EPA 525.2
Toxaphene	C	EPA 508.1
<u>Herbicides</u>		
2,4-D	C	EPA 515.4
2,4,5-TP (Silvex)	C	EPA 515.4
Dalapon	C	EPA 515.4
Dinoseb	C	EPA 515.4
Pentachlorophenol	C	EPA 515.4
Picloram	C	EPA 515.4
<u>Carbamates</u>		
Carbofuran	C	EPA 531.2
Oxamyl (Vydate)	C	EPA 531.2
<u>Miscellaneous</u>		
Adipates	C	EPA 525.2
Phthalates	C	EPA 525.2
Polynuclear Aromatic Hydrocarbons	C	EPA 525.2
Polychlorinated Biphenyl's (PCB's) screen	C	EPA 508.1
Diquat	C	EPA 549.2
Endothall	C	EPA 548.1
Glyphosate	C	EPA 547
Haloacetic Acids (HAA5)	C	EPA 552.3

1) C = Certified, N = Not Certified, P = Provisionally Certified, * = Certification Not Requested



Christopher Ball, Ph.D., HCLD (ABB)
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Idaho Bureau of Laboratories - 2220 Old Penitentiary Road - Boise, Idaho 83712-8299

healthandwelfare.idaho.gov (208) 334-2235